

Tift Theatre
Technical Specifications

SEATING: Capacity 602

STAGE DIMENSIONS:

Front of apron to loading dock: 42'

Plaster line to loading dock: 32'

Proscenium width: 37' 9"

Max playing width: 41' 6"

Min. playing width: 25' 5"

Floor to border: 15' 5"

Floor to lowest batten: 18' 7"

Floor to Main: 15' 6"

Floor to first border: 16' 6"

Floor to proscenium: 22' 4"

Stage Floor (including wing space): Self-Healing Masonite floor

LIGHTING INSTRUMENT INVENTORY IN HOUSE PLOT

Number of Instrument	Type of Instrument
6	ETC ColorSource Spot LED Leko (FOH Cove Spots)
6	Mega Lite Nova Lite LED (FOH Cove Wash)
18	ETC ColorSource LED PARs (6 per 3 electrics)
6	ETC ColorSource Spot LED Leko Pipe Ends (2 per 3 electrics)

ETC EOS Element Control Board

ETC Echo Dimming System

PROJECTION SCREEN:

Screen - 12' feet high x 24' feet wide (see hanging plot for location).

MISCELLANEOUS:

1 speaker's podium

LOADING DOCK:

Roll Door in alleyway behind theatre, street not level with stage.

Approx. 2 foot drop to stage

Loading doors are 8'w x 10'h.

Doors are at street level.

RIGGING: See hanging plot for details.

Length of battens: 40'

SOFT GOODS: See Hanging Plot

Batten Number	Description
1	Valence
2	Main Curtain
3	Projection Screen
4	1 st Electric
5	Legs
6	Border
7	Empty (moveable)
8	2 nd Electric
9	Legs
10	Border
11	Mid
12	Empty
13	3 rd
14	Legs
15	Empty
16	Border
17	4 th / Cyc
18	Empty

19	Rear Traveler
----	---------------

Main Curtain horizontal opening (manual), also mid and back travelers (manual SR)

SOUND SYSTEM:

Behringer X32 Digital Mixing Board with on board effects

Behringer S16 digital snake 16x8

Speakers:

Yorkville Line Arrays– Mains – 2 boxes per side

Yorkville – Subs - 2

DRESSING ROOM DESCRIPTION:

Located downstairs. 2 dressings rooms with clothing racks.

Bathrooms and showers in each dressing room.